



361A Old Finch Ave.
Scarborough, ON M1B 5K7
www.torontozoo.com

Telephone: 416-392-5900
Fax: 416-392-5934

Chair
Councillor Paul Ainslie
Interim Chief Executive Officer
Robin D. Hale

2018-07-31

REQUEST FOR QUOTATION
RFT #22 (2018-07)
MEMBER & GUEST SERVICES BUILDING ROOF REPLACEMENT
ADDENDUM # 1

This addendum shall be incorporated into, and form part of RFT #22 (2018-07) and take precedence over all requirements of the previously issued bid documents including plans. This addendum must be signed by the bidder (signing officer) in the appropriate space and must be attached to the Form for submission by the bidder. This Addendum consists of one (1) page and the documents listed below.

1. Add to Scope of Work:

See attached Addendum #1 from IRC Building Sciences Group, which adds work related to existing lightning protection and mechanical equipment (cooling tower).

Receipt of the Addendum shall be acknowledged as part of your submission.

The Board of Management of the Toronto Zoo reserves the right to reject any or all Quotations or to accept any quotation, should it deem such action to be in its interests.

If you have any queries regarding this matter, please contact Mr. Peter Vasilopoulos, Supervisor, Purchasing & Supply, at 416-392-5916.

Yours truly,

Peter Vasilopoulos
Supervisor, Purchasing & Supply

I/we hereby acknowledge receipt of this addendum and make allowance in my bid.

Signed (Must be Signing Officer of Firm)

Name of Firm

Date



IRC Building Sciences Group
 2121 Argentia Road, Suite 401
 Mississauga, Ontario, L5N 2X4
 Tel: 905.607.7244, Fax: 905.607.7288
 Toll Free: 1.888.607.5245

Addendum No.1

QSF-7-090 R-07 DEC01/12

Project:	2018 Roof Rehabilitation Program Member & Guest Services Buildings	Page No:	1 of 1
Facility:	Toronto Zoo	Date:	July 31, 2018
Address:	361A Old Finch Avenue	IRC Ref. No:	HR18-020SP-20322
		Client Ref. No:	

All Bidders are hereby notified of the following changes and clarifications to the Bid Documents made by this Addendum, issued by IRC Group prior to Bid Closing. Acknowledge receipt of this Addendum on Bid Form where indicated and submit signed copy of last page in Bid.

1.0 SCOPE OF WORK

- .1 **Lightning Protection:** Existing lightning protection system to be carefully removed and stored in a safe place. After completion of new roof installation, re-install lightning protection system according to current code and regulation requirements. Bid Price to include any necessary modifications and upgrades that are required and mandated.
 - .1 This Work to be carried out by a qualified and approved specialist in Lightning Protection. AT NO TIME SHALL ROOFING CONTRACTOR ATTEMPT TO CARRY OUT THIS WORK WITH HIS OWN FORCES. System must be examined by a qualified specialist after all work is completed.
 - .2 Approved Lightning Protection System Providers:
 - .1 Dominion Lightning Rod at 905.628.6452,
 - .2 Simpson Lightning Rods at 519.856.9036,
 - .3 Wil-can Electronics at 888.596.2020.
 - .3 Lightning protection system to be re-installed using roof friendly attachment and support methods to eliminate puncturing new roof membrane. Consultant MUST approve attachment and support methods prior to installation.
- .2 **Mechanical:** Contractor is responsible for all mechanical work necessary to complete the roofing work as specified, including removal and reinstallation of existing cooling tower as required.

End of Addendum No. 1

Contractor Accepted:	Name:	Signature:	Organization:	Date:
-------------------------	-------	------------	---------------	-------